OSED STANDARD OF AMENCLATURE OF HUMIAN MITORIC CHROMOSOMES

A FUMAN CHROMOSOMES STUDY GROUP

Cerebral Palsy Bulletin

NO

He rad dvanire na iffere investing f Columbia in reduced in the constitution of the columbia in the constitution of the columbia in the columb

*In c

211 2001 1-5 Shortegos

A PROPOSED STANDARD OF *NOMENCLATURE OF HUMAN MITOTIC* **CHROMOSOMES**

By a HUMAN CHROMOSOMES STUDY GROUP. University of Colorado Medical Center, Denver, Colorado

F rapid growth of knowledge of human chromosomes in several laboratories, following dvances in technical methods, has given rise to several systems by which the chromosomes m named. This has led to confusion in the literature and so to the need for resolving the fferences. Consequently, at the suggestion of Dr. C. E. Ford, a small study group was myened to attempt the formulation of a common system of nomenclature. The meeting was granged, through the good offices of Dr. T. T. Puck, to be held at Denver, in the University (Colorado, under the auspices of the Medical School. The meeting of this study group as made possible by the support of the American Cancer Society, to whom grateful thanks redue. For practical reasons, it was decided to keep the group as small as possible and to mit it to those human cytologists who had already published karyotypes.* In addition, free counsellors were invited to join the group to guide and aid the discussions and, if messary, to arbitrate. Fortunately, the last office did not prove necessary, and it was possible by mutual agreement to arrive at a common system which has flexibility.

It was agreed that the principles to be observed by the system should be simplicity and redom, as far as possible, from ambiguity and risks of confusion, especially with other stems of nomenclature in human genetics. It should also be capable of adjustment and apansion to meet the needs of new knowledge of human chromosomes. The system should reagreed to by the greatest possible proportion of cytologists working in the field, but the lisk that a minority may be unable to accept the system as a whole should not be

lowed to delay adoption by a majority.

It was agreed that the autosomes should be serially numbered, 1 to 22, as nearly as wsible in descending order of length, consistent with operational conveniences of identificaon by other criteria. The sex chromosomes should continue to be referred to as X and Y, ather than by a number, which would be an additional and ultimately a superfluous appellation.

It was generally agreed that the 22 autosomes can be classified into seven groups, distincon between which can readily be made. Within these groups, further identification of adividual chromosomes can in many cases be made relatively easily. Within some groups, specially the group of chromosomes numbered 6-12, including also the X chromosome.

^{*}In contemporary publications the terms, karyotype and idiogram, have often been used indiscriminately. we would recommend that the term, karyotype, should be applied to a systematised array of the chromoomes of a single cell prepared either by drawing or by photography, with the extension in meaning that the homosomes of a single cell can typify the chromosomes of an individual or even a species. The term, tiogram, would then be reserved for the diagrammatic representation of a karyotype, which may be based on masurements of the chromosomes in several or many cells.

the distinctions between the chromosomes are very difficult to make by presently available criteria. However, lesser difficulties are encountered in separating chromosomes 6 and the X from the remainder of this group. It is believed that, with very favourable prepara-

tions, distinction can be made between most, if not all, chromosomes.

It is proposed that the autosomes first be ordered by placing the seven groups as nearly as possible in descending order of size. Within each group the chromosomes are arranged, for the most part, by size. It was desired specifically to avoid the implication that size relationships have been permanently decided in every instance, but it is hoped that the assignment of numbers will be permanently fixed. In those cases where distinction is at present doubtful, final definition of each chromosome can be left until further knowledge has accrued, though an attempt is made to provide a characterisation of each. These principles make it possible to draw up a conspectus of the chromosomes, a table of their quantitative characteristics and a table of the synonyms which authors have already published. These are appended (tables I, II, and III).

In table II, showing the diagnostic characters of the chromosomes, three parameters are relied upon. These are: (A) The length of each chromosome relative to the total length of a normal, X-containing, haploid set—i.e., the sum of the lengths of the 22 autosomes and of the X chromosome, expressed per thousand; (B) the arm ratio of the chromosomes, expressed as the length of the longer arm relative to the shorter one; and (C) the centromeric index, expressed as the ratio of the length of the shorter arm to the whole length of the chromosome. The two latter indices are, of course, related algebraically quite simply, but it is thought useful to present both here. In some chromosomes, the additional criterion of the presence of a satellite is available (table I), but in view of the apparent morphological variation of satellites, they and their connecting strands are excluded in computing the indices.

Table II shows the range of measurements determined by various workers. Some of the variation expresses the uncertainty due to measurement of relatively small objects; but many of the discrepancies between different workers' observations are due to the measurement of chromosomes at different stages of mitosis and to the effect of different methods of pretreatment and preparation for microscopic study. The ranges shown, therefore, represent the maxima and minima of the means found by different workers using different techniques. However, within any one worker's observations, the variations are not so broad.

Reference should be made to two other matters of nomenclature. In the first place, it is considered that no separate nomenclature for the groups is needed. It is considered that any group to which it may be necessary to refer will be a sequence of those designated by Arabic numerals. Hence, any chromosome group may be referred to by the Arabic numerals of the extreme chromosomes of the group, joined together by a hyphen—e.g., the group of the three longest chromosomes would be Group 1-3. This scheme has the merit of great flexibility. For instance, chromosomes X and 6 may be separated from the group 6-12 whenever they can be distinguished.

Secondly, there is the problem raised by the abnormal chromosomes which are being encountered in the more recent studies. Their nomenclature was discussed without a definite conclusion being reached. Broadly, it was agreed, however, that any symbol used should avoid incorporating a specific interpretation which was not reasonably established. It was suggested that arbitrary symbols, prefixed by a designation of the laboratory of origin,

should usually be assigned to the abnormal chromosome.

In this connection, two further requisites for co-ordination of research were discussed. One is the storage of documentation for reference, perhaps in a central depository, in addition to what it may be possible to publish. The other is the desirability of preserving

available of s 6 and prepara-

rranged, that size that the action is owledge a. These of their already

rameters ength of mes and osomes, tromeric h of the ply, but criterion ological ting the

some of objects; to the different n, therers using ons are

red that ated by umerals roup of of great 2 when-

definite should It was origin,

cussed. ory, in serving

the sep

100

arb hav Ch

kysi V this to 1

may vhi oth

(S. Chu, Ar. Ford

Fijio,

altures, by the satisfactory methods now used, so that they are available for reference, omparison and exchange.

Some consideration was also given to the desirability of using a uniform system for mesenting karyotypes and idiograms, but, recognising that individual variation in taste is volved, rigidity of design was thought undesirable. However, it was recommended that he chromosomes should be arranged in numerical order, with the sex chromosomes near to but sparated from the autosomes they resemble. It is desirable that similar ones be grouped ogether with their centromeres aligned.

It is recognised that choice between the different possible schemes of nomenclature is rbitrary, but that uniformity for ease of reference is essential. Hence, individual preferences lave been subordinated to the common good in reaching this agreement. This Human Chromosomes Study Group therefore agrees to use this notation and recommends that any who prefer to use any other scheme should, at the same time, also refer to the standard system proposed here.

We are well aware of the wide interest in the work of this study group and realise that his meeting is merely a preliminary to a larger meeting. It is believed that two needs have be met in this respect. One is for seminars and workshops at which workers in the field may exchange information; such seminars are best arranged regionally. The second need, which may come later, is for international conferences; and we believe that congresses, and other organisations whose interests include human genetics, should promote such meetings.

REFERENCES

- bök, J. A., Fraccaro, M. and Lindsten, J. (1959) 'Cytogenetical observations in mongolism'. Acta paediat.
- (Stockh.), 48, 453.
 (hu, E. H. Y. and Giles, N. H. (1959) 'Human chromosome complements in normal somatic cells in culture'.
- Amer. J. hum. Genet., 11, 63. [ord, C. E., Jacobs, P. A. and Lajtha, L. (1958) 'Human somatic chromosomes'. Nature (Lond.), 181, 1565. beune, J., Turpin, R. and Gautier, M. (1959) 'Le mongolisme, premier example d'aberration autosomique humaine'. *Ann. Génét.*, **2**, 41.

 [avan, A. and Hsu, T. C. (1959) 'The human idiogram'. *Hereditas (Lund)*, **45**, 665.
- ijo, J. H. and Puck, T. T. (1958) 'The somatic chromosomes of man'. Proc. nat. Acad. Sci. (Wash.), 44, 1229.

1. 3 2 3 8-8 X *

*	× :	* *	
× ×	X.	# :	
24		4:	
	*	4 4 5	
9< 36	**	× ·	
	× .	€.	
20 -	**	4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 a
56 -	× .	£ :	4 a
	**		• >

Chromosomes cut and paired from a photograph of a normal male cell. Magnification × 2000. The numbering is in accordance with the rules laid down at the Denver Convention.

TABLE I.—CONSPECTUS OF HUMAN MITOTIC CHROMOSOMES

- GROUP 1-3. Large chromosomes with approximately median centromeres. The three chromosomes are readily distinguished from each other by size and centromere position.
- GROUP 4-5. Large chromosomes with submedian centromeres. The two chromosomes are difficult to distinguish, but chromosome 4 is slightly longer.
- GROUP 6-12. Medium sized chromosomes with submedian centromeres. The X chromosome resembles the longer chromosomes in this group, especially chromosome 6, from which it is difficult to distinguish. This large group is the one which presents major difficulty in identification of individual chromosomes.
- GROUP 13-15. Medium sized chromosomes with nearly terminal centromeres ('acrocentric' chromosomes). Chromosome 13 has a prominent satellite on the short arm. Chromosome 14 has a small satellite on the short arm. No satellite has been detected on chromosome 15.
- GROUP 16-18. Rather short chromosomes with approximately median (in chromosome 16) or submedian centromeres.
- GROUP 19-20. Short chromosomes with approximately median centromeres.
- GROUP 21-22. Very short, acrocentric chromosomes. Chromosome 21 has a satellite on its short arm. The Y chromosome is similar to these chromosomes.

omosomes

re difficult

romosome which it is identifica-

crocentric' nosome 14 15.

me 16) or

n its short

All measurements were made from cells of normal individuals, except those made by Fraccaro and Lindsten, which included cases of Turner's syndrome. Column A is the relative length of each chromosome, B is the arm ratio and C the centromere index, as defined in the text. 1 Shill in was with the Bar Sank and a con

48 83 1.1 48 82-90 1.1 48-49 40 79 1.6 38 77-84 1.5-1.6 38-40 46 63 1.2 46 63-72 1.2 45-46 30 57 2.4 30 60-64 2.6-2.9 25-28 30 57 2.4 30 57-60 2.4-3.2 24-30 37 56 1.6 38 54-56 1.6-1.8 35-38 36 1.7 37 47-52 1.3-1.9 35-43 29 46 1.5 40 44-48 1.5-2.4 32-40 27 44 1.9 35 43-45 1.9-2.6 27-35 39 43 1.5 40 44-44 1.5-2.8 31-40 27 42 2.1 32 42-43 1.7-3.1 24-37 30 4.8 1.5 40 44-44 1.5-2.8 31-40 <t< th=""><th>Tijo and Chu and Levan and Fraccaro and Lejer Puck* Giles* Hsus* Lindsten* Tu</th><th>Chu and Levan and Fraccaro and Giles* Hsus* Lindsten*</th><th>Chu and Levan and Fracearo and Giles Hsus Lindsten*</th><th>Chu and Levan and Fraccaro and Giles* Hsu* Lindsten*</th><th>Levan and Fraccaro and Hsu⁵ Lindsten*</th><th>Levan and Fraccaro and Hsu⁵ Lindsten*</th><th>Levan and Fraccaro and Hsu⁵ Lindsten*</th><th>Fraccaro and Lindsten*</th><th>Fraccaro and Lindsten*</th><th>raccaro and Lindsten*</th><th></th><th></th><th>Lejeune Turpir</th><th>jeune</th><th>00 4</th><th>pur*</th><th>Ja Ja</th><th>Buckton, Jacobs and Harnden*</th><th>** or **</th><th>4</th><th>Range</th><th></th></t<>	Tijo and Chu and Levan and Fraccaro and Lejer Puck* Giles* Hsus* Lindsten* Tu	Chu and Levan and Fraccaro and Giles* Hsus* Lindsten*	Chu and Levan and Fracearo and Giles Hsus Lindsten*	Chu and Levan and Fraccaro and Giles* Hsu* Lindsten*	Levan and Fraccaro and Hsu ⁵ Lindsten*	Levan and Fraccaro and Hsu ⁵ Lindsten*	Levan and Fraccaro and Hsu ⁵ Lindsten*	Fraccaro and Lindsten*	Fraccaro and Lindsten*	raccaro and Lindsten*			Lejeune Turpir	jeune	00 4	pur*	Ja Ja	Buckton, Jacobs and Harnden*	** or **	4	Range	
60 2.6 28 60-64 2.6-2.9 57 2.4 30 57-60 2.4-3.2 51 1.7 37 51-59 1.6-2.8 56 1.6 38 54-56 1.6-1.8 50 1.7 37 47-52 1.3-1.9 44 2.1 37 47-52 1.3-1.9 44 1.9 35 44 45 1.9-2.6 43 1.5 40 44 48 1.5-2.4 44 1.9 35 44 45 1.9-2.6 43 1.5 40 44 48 1.5-2.8 43 1.5 40 44 48 1.5-2.8 43 1.5 40 44 48 1.5-2.8 43 1.5 40 44 45 1.9-2.6 43 1.5 40 43-44 1.5-2.8 43 1.5 40 43-44 1.5-2.8 50 1.2 45 29-37 1.8-3.1 50 1.8 36 29-30 1.8-3.1 51 2.4 29 24-27 2.4-4.2 52 1.2 46 19-25 1.2-1.9 52 2.5 2.9 13-20 2.3-6.8 58 1.8 2.7 2.7 11-22 2.9-2.	A B C A B C A B C A B C A B C A 90 1.1 48 90 1.1 48 85 1.1 49 82 1.1 48 87	C A B C A B C A B C A B C 48 90 1.1 48 85 1.1 49 82 1.1 48	A B C A B C A B C 90 1.1 48 85 1.1 49 82 1.1 48	B C A B C A B C 1.1 48 1.1 48 85 1.1 49 82 1.1 48	C A B C A B C 48 85 1.1 49 82 1.1 48	A B C A B C 85 1.1 49 82 1.1 48	B C A B C 1.1 49 82 1.1 48	C A B C 49 82 1.1 48	A B C 82 1.1 48	B C I.1 48	O 84		8 A		. T	O 84	83 83	1.1	0 %	82-90	B	C 48 49
1.2 46 63 1.2 46 63-72 1.2 2.6 25 60 2.6 28 60-64 2.6-2.9 2.4 30 57 2.4 30 57-60 2.4-3.2 1.7 37 51-50 1.6-2.8 1.7 37 51-50 1.6-2.8 1.8 36 50 1.7 37 47-52 13-1.9 1.8 36 50 1.7 37 47-52 13-1.9 2.4 29 46 1.5 40 44-48 1.5-2.4 2.6 27 44 1.9 34 43 44 1.8-2.4 2.6 39 43 1.5 40 43-44 1.5-2.8 1.6 39 43 1.5 40 43-44 1.5-2.8 2.8 27 42 2.1 32 42-43 1.7-3.1 6.8 14 36 4.9 17 32-36 48-9.7 10.0 9 34 3.8 22 29-35 3.8-11.9 10.0 9 34 3.8 22 29-35 3.8-11.9 1.2 43 2.3 2.4 <	1.6 39 83 1.5 40 79 1.6 38 77 1.5 40	39 83 1.5 40 79 1.6 38 77 1.5 40	83 1.5 40 79 1.6 38 77 1.5 40	1.5 40 79 1.6 38 77 1.5 40	40 79 1.6 38 77 1.5 40	79 1.6 38 77 1.5 40	1.6 38 77 1.5 40	38 77 1.5 40	77 1.5 40	1.5 40	40		8	_	1.5	40	19	1.6	38	77-84	1.5-1.6	38-40
2.6 2.6 2.6 2.8 60-64 2.6-2.9 2.4 30 57 2.4 30 57-60 2.4-3.2 1.7 37 51-50 1.6-2.8 1.6-2.8 1.8 36 1.6 38 54-56 1.6-2.8 1.8 36 1.6 38 54-56 1.6-1.8 1.8 36 1.7 37 47-52 1.3-1.9 2.4 29 1.7 37 47-52 1.3-1.9 2.6 27 44 2.1 32 44-48 1.5-2.4 1.6 39 43 1.5 40 44-44 1.8-2.4 2.6 39 43 1.5 40 43-44 1.5-2.8 2.8 27 4.2 2.1 32 42-43 1.7-3.1 6.8 14 36 4.9 17 32-36 48-9.7 7.0 13 34 4.3 19 32-35 3.8-	1.2 45 72 1.2 46 69 1.2 45 65 1.2 45	45 72 1.2 46 69 1.2 45 65 1.2 45	72 1.2 46 69 1.2 45 65 1.2 45	1.2 46 69 1.2 45 65 1.2 45	46 69 1.2 45 65 1.2 45	69 1.2 45 65 1.2 45	1.2 45 65 1.2 45	45 65 1.2 45	65 1.2 45	1.2 45	45		9	_	1.2	46	63	1.2	46	63-72	1.2	45-46
2.4 30 57 2.4 30 57-60 2.4-3.2 2.2 32 51 1.7 37 51-50 1.6-2.8 1.8 36 50 1.7 37 47-52 1.3-1.9 1.8 36 1.6 38 54-56 16-1.8 1.8 36 1.7 37 47-52 1.3-1.9 2.6 27 44 2.1 32 44-48 1.5-2.4 2.6 37 44 2.1 32 44-48 1.5-2.4 1.6 39 43 1.5 40 44-48 1.5-2.8 2.8 27 42 2.1 32 42-41 1.5-2.8 2.8 27 42 2.1 32 42-43 1.7-3.1 6.8 14 36 4.9 17 32-36 48-9.7 7.0 13 34 4.3 19 32-37 4.3-9.5 10.0 9 34 3.8 22 29-35 3.8-11.9 3.1 23 30 1.8 36 29-30 1.8-3.1 4.2 21 2.4 29 24-27 2.4-4.2 1.2 43 <td>64 2.9 26 63 2.9 26 63 2.7 27 62 2.6 28 6</td> <td>26 63 2.9 26 63 2.7 27 62 2.6 28</td> <td>63 2.9 26 63 2.7 27 62 2.6 28</td> <td>2.9 26 63 2.7 27 62 2.6 28</td> <td>26 63 2.7 27 62 2.6 28</td> <td>63 2.7 27 62 2.6 28</td> <td>2.7 27 62 2.6 28</td> <td>27 62 2.6 28</td> <td>62 2.6 28</td> <td>2.6 28</td> <td>28</td> <td></td> <td>9</td> <td>2</td> <td>2.6</td> <td>25</td> <td>99</td> <td>2.6</td> <td>28</td> <td>60-64</td> <td>2.6-2.9</td> <td>25-28</td>	64 2.9 26 63 2.9 26 63 2.7 27 62 2.6 28 6	26 63 2.9 26 63 2.7 27 62 2.6 28	63 2.9 26 63 2.7 27 62 2.6 28	2.9 26 63 2.7 27 62 2.6 28	26 63 2.7 27 62 2.6 28	63 2.7 27 62 2.6 28	2.7 27 62 2.6 28	27 62 2.6 28	62 2.6 28	2.6 28	28		9	2	2.6	25	99	2.6	28	60-64	2.6-2.9	25-28
2.2 32 51 1.7 37 51-59 1.6-2.8 1.7 37 56 1.6 38 54-56 1.6-1.8 2.4 35 44 2.1 37 47-52 1.3-1.9 2.6 27 44 2.1 32 44-48 1.8-2.4 2.6 27 44 2.1 32 44-48 1.9-2.6 1.6 39 43 1.5 40 43-45 1.9-2.6 2.8 27 42 2.1 32 42-43 1.7-3.1 6.8 14 36 4.9 17 32-36 4.8-9.7 7.0 13 34 4.3 19 32-37 4.3-9.5 10.0 9 34 3.8 22 29-33 1.8-11.9 4.2 21 2.4 29 29-30 1.8-3.1 4.2 22 1.2 45 29-27 2.4-4.2 1.2 43 25 22-26 1.2-1.9 4.2 26 1.2 45 29-27 2.4-4.2 1.2 43 25 22-26 1.2-1.3 4.0 20 18 2.7 2.7 2.4-	3.2 24 58 3.2 24 59 2.6 28 60 2.4 29	24 58 3.2 24 59 2.6 28 60 2.4 29	58 3.2 24 59 2.6 28 60 2.4 29	3.2 24 59 2.6 28 60 2.4 29	24 59 2.6 28 60 2.4 29	59 2.6 28 60 2.4 29	2.6 28 60 2.4 29	28 60 2.4 29	60 2.4 29	2.4 29	53		41	1	2.4	30	57	2.4	30	27-60	2.4-3.2	24-30
1.7 37 56 1.6 38 54-56 1.6-1.8 2.4 35 40 1.5 40 44-82 1.3-1.9 2.6 27 44 2.1 35 44-47 18-2.4 2.6 27 44 1.9 35 43-45 1.9-2.6 1.6 39 43 1.5 40 43-44 1.9-2.6 2.8 27 42 2.1 32 42-43 1.9-2.6 1.6 39 43 1.5 40 43-44 1.5-2.8 1.0 13 34 4.3 19 32-36 4.8-9.7 1.0 9 34 3.8 22 29-35 3.8-11.9 4.2 21 23 29-35 3.8-11.9 4.2 21 24 29 29-35 3.8-11.9 4.2 21 24 29 24-27 2.4-4.2 1.2 43 25 1.2 45 22-26 1.2-1.3 4.2 26 1.2 46 19-25 1.2-1.3 4.0 20 18 2.7 2.4 2.9-2.6 1.2-1.3 4.0 20 18 2.7<	1.9 34 57 2.8 38 52 1.6 38 54 1.6 38	34 57 2.8 38 52 1.6 38 54 1.6 38	57 2.8 38 52 1.6 38 54 1.6 38	2.8 38 52 1.6 38 54 1.6 38	38 52 1.6 38 54 1.6 38	52 1.6 38 54 1.6 38	1.6 38 54 1.6 38	38 54 1.6 38	54 1.6 38	1.6 38	38		4,	00	2.2	32	51	1.7	37	51-59	1.6-2.8	32-38
1.8 36 50 1.7 37 47-52 13-1.9 1.9 24 29 46 1.5 40 44-48 1.5-2.4 2.6 27 44 2.1 32 44-48 1.5-2.4 1.6 39 43 1.5 40 43-45 1.9-2.6 2.8 27 42 2.1 32 42-43 1.7-3.1 6.8 14 36 4.9 17 32-36 4.8-9.7 7.0 13 34 4.3 19 32-37 4.3-9.5 10.0 9 34 3.8 22 29-35 3.8-11.9 4.2 21 27 2.4 29 29-30 1.8-3.1 4.2 21 27 2.4 29 29-30 1.8-3.1 4.2 21 24 29 24-27 2.4-4.2 1.2 43 25 1.2 45 19-25 1.2-1.9 4.0 20 18 2.7 27 24-27 2.4-4.2 4.0 20 18 2.7 27 21-18 2.0-6.0 4.0 20 18 2.7 27 21-18 2.0-6.0 <td>1.7 37 56 1.8 36 56 1.7 37 54 1.6 38</td> <td>37 56 1.8 36 56 1.7 37 54 1.6 38</td> <td>56 1.8 36 56 1.7 37 54 1.6 38</td> <td>1.8 36 56 1.7 37 54 1.6 38</td> <td>36 56 1.7 37 54 1.6 38</td> <td>56 1.7 37 54 1.6 38</td> <td>1.7 37 54 1.6 38</td> <td>37 54 1.6 38</td> <td>54 1.6 38</td> <td>1.6 38</td> <td>38</td> <td></td> <td></td> <td>99</td> <td>1.7</td> <td>37</td> <td>99</td> <td>9.1</td> <td>38</td> <td>54-56</td> <td>1.6-1.8</td> <td>36-38</td>	1.7 37 56 1.8 36 56 1.7 37 54 1.6 38	37 56 1.8 36 56 1.7 37 54 1.6 38	56 1.8 36 56 1.7 37 54 1.6 38	1.8 36 56 1.7 37 54 1.6 38	36 56 1.7 37 54 1.6 38	56 1.7 37 54 1.6 38	1.7 37 54 1.6 38	37 54 1.6 38	54 1.6 38	1.6 38	38			99	1.7	37	99	9.1	38	54-56	1.6-1.8	36-38
2.4 29 46 1.5 40 4448 1.5.2.4 2.6 2.7 44 1.9 32 444.7 1.8-2.4 2.6 39 44 1.9 32 43.44 1.5-2.8 2.8 27 42 2.1 32 42-43 1.7-3.1 6.8 14 36 4.9 17 32-36 48-9.7 7.0 13 34 4.3 19 32-37 43-9.5 10.0 9 34 3.8 22 29-35 3.8-11.9 3.1 23 30 1.8 36 29-30 1.8-3.1 4.2 21 24 29 24-27 2.4-4.2 1.2 43 25 22-26 1.2-1.9 1.2 43 25 24-27 2.4-4.2 1.2 43 25 24-27 2.4-4.2 1.2 43 25 12-26 1.2-1.3 4.0	1.3 43 52 1.9 35 51 1.9 35 50 1.7 37	43 52 1.9 35 51 1.9 35 50 1.7 37	52 1.9 35 51 1.9 35 50 1.7 37	1.9 35 51 1.9 35 50 1.7 37	35 51 1.9 35 50 1.7 37	51 1.9 35 50 1.7 37	1.9 35 50 1.7 37	35 50 1.7 37	50 1.7 37	1.7 37	37			21	00	36	20	1.7	37	47-52	1.3-1.9	35-43
1.9 35 44 2.1 32 4447 18-2.4 2.6 27 44 1.9 35 43-45 19-2.6 1.6 39 43 1.5 40 43-41 1.5.2.8 2.8 27 42 2.1 32 42-43 1.7-3.1 6.8 14 36 4.9 17 32-36 4.8-9.7 10.0 9 34 3.8 22 29-35 3.8-11.9 1.4 41 33 1.4 31 27-33 1.4-1.8 3.1 23 30 1.8 36 29-30 1.8-3.1 4.2 21 27 2.4 29 24-27 2.4-4.2 1.4 42 26 1.2 45 22-26 1.2-1.9 1.2 43 25 1.2 46 19-25 1.2-1.3 4.0 20 1.8 4.9 17 11-22 2.9-6.	29 46 1.7 29 48 1.6 33 47	29 46 1.7 29 48 1.6 33 47 1.7	46 1.7 29 48 1.6 33 47 1.7	1.7 29 48 1.6 33 47 1.7	29 48 1.6 33 47 1.7	48 1.6 33 47 1.7	1.6 33 47 1.7	33 47 1.7	47 1.7	1.7		37		48	2.4	29	46	1.5	40	44 48	1.5-2.4	29-40
2.6 27 44 1.9 35 43-45 1.9-2.6 1.6 39 43 1.5 40 43-44 1.5-2.8 2.8 27 42 2.1 32 42-43 1.7-3.1 6.8 14 36 4.9 17 32-36 4.8-9.7 10.0 9 34 4.3 19 32-37 4.3-9.5 10.0 9 34 3.8 22 29-35 3.8-11.9 3.1 23 1.8 36 29-30 18-3.1 4.2 21 2.4 29 24-27 2.4-4.2 1.2 43 25 1.2 46 19-25 1.2-1.3 2.3 31 20 2.5 29 13-20 2.3-6.8 4.0 20 18 2.7 27 21-18 2.0-6.0 0 18 4.9 17 11-22 2.9	1.9 40 46 2.4 38 47 1.8 36 45 2.0	40 46 2.4 38 47 1.8 36 45 2.0	46 2.4 38 47 1.8 36 45 2.0	2.4 38 47 1.8 36 45 2.0	38 47 1.8 36 45 2.0	47 1.8 36 45 2.0	1.8 36 45 2.0	36 45 2.0	45 2.0	2.0		33		47	1.9	35	4	2.1	32	44-47	1.8-2.4	32-40
1.6 39 43 1.5 40 43.44 1.5-2.8 2.8 27 42 2.1 32 42-43 1.7-3.1 6.8 14 36 4.9 17 32-36 4.8-9.7 7.0 13 34 4.3 19 32-37 4.3-9.5 10.0 9 34 3.8 22 29-35 3.8-11.9 3.1 23 30 1.8 36 29-30 1.8-3.1 4.2 21 27 2.4 29 24-27 2.4-4.2 1.2 43 25 1.2 45 22-26 1.2-1.9 1.2 43 25 1.2 46 19-25 1.2-1.3 2.3 31 20 2.5 29 13-20 2.3-6.8 4.0 20 18 2.7 27 21-18 2.0-6.0 0 18 4.9 17 11-22 2.9	2.4 27 45 2.3 30 45 2.0 33 45 2.6	27 45 2.3 30 45 2.0 33 45 2.6	45 2.3 30 45 2.0 33 45 2.6	2.3 30 45 2.0 33 45 2.6	30 45 2.0 33 45 2.6	45 2.0 33 45 2.6	2.0 33 45 2.6	33 45 2.6	45 2.6	5.6		34		45	2.6	27	44	1.9	35	43-45	1.9-2.6	27-35
2.8 27 42 2.1 32 42-43 1.7-3.1 6.8 14 36 4.9 17 32-36 4.8-9.7 7.0 13 34 4.3 19 32-37 4.3-9.5 10.0 9 34 3.8 22 29-35 3.8-11.9 1.4 41 33 1.4 31 27-33 1.4-1.8 3.1 23 30 1.8 36 29-30 1.8-3.1 4.2 21 27 2.4 29 24-27 2.4-4.2 1.2 43 26 1.2 45 22-26 1.2-1.9 1.2 43 26 1.2 46 19-25 1.2-1.3 4.0 20 18 2.7 2.7 2.3-6.8 4.0 20 18 2.7 2.7 2.9-6.0 0 18 4.9 17 11-22 2.9	2.8 34 44 2.1 32 44 2.2 31 43 2.2	34 44 2.1 32 44 2.2 31 43 2.2	44 2.1 32 44 2.2 31 43 2.2	2.1 32 44 2.2 31 43 2.2	32 44 2.2 31 43 2.2	44 2.2 31 43 2.2	2.2 31 43 2.2	31 43 2.2	43 2.2	2.2		31		4	1.6	36	43	1.5	40	43-44	1.5-2.8	31-40
6.8 14 36 4.9 17 32-36 4.8-9.7 10.0 9 34 3.8 22 29-35 3.8-11.9 3.1 1.4 41 33 1.4 31 27-33 1.4-1.8 4.2 21 27 2.4 29 27 2.4-3.2 1.4-1.8 4.2 21 27 2.4 29 29-30 1.8-3.1 1.4 42 26 1.2 45 29-26 1.2-1.9 1.2 43 25 1.2 46 19-25 1.2-1.9 4.0 20 18 2.7 27 27 12-18 2.0-6.0 1.2 4.0 20 18 4.9 17 11-22 2.9	3.1 24 43 3.1 24 42 1.7 32 43 1.7	24 43 3.1 24 42 1.7 32 43 1.7	43 3.1 24 42 1.7 32 43 1.7	3.1 24 42 1.7 32 43 1.7	24 42 1.7 32 43 1.7	42 1.7 32 43 1.7	1.7 32 43 1.7	32 43 1.7	43 1.7	1.7		37		42	2.8	27	42	2.1	32	42-43	1.7-3.1	24-3
7.0 13 34 4.3 19 32-37 4.3-9.5 10.0 9 34 3.8 22 29-35 3.8-11.9 1.4 41 33 1.4 31 27-33 1.4-1.8 3.1 23 30 1.8 36 29-30 1.8-3.1 4.2 21 2.4 29 24-27 2.4-4.2 1.4 42 26 1.2 45 22-26 1.2-1.9 1.2 43 25 1.2 46 19-25 1.2-1.3 2.3 31 20 2.5 29 13-20 2.3-6.8 4.0 20 18 2.7 27 21-18 2.0-6.0 0 18 4.9 17 11-22 2.9	8.0 11 32 9.7 10 32 5.0 16 34 4.8	11 32 9.7 10 32 5.0 16 34 4.8	32 9.7 10 32 5.0 16 34 4.8	9.7 10 32 5.0 16 34 4.8	10 32 5.0 16 34 4.8	32 5.0 16 34 4.8	5.0 16 34 4.8	16 34 4.8	34 4.8	8.4		17		33	8.9	14	36	4.9	17	32-36	4.8-9.7	
10.0 9 34 3.8 22 29-35 3.8-11.9 1.4 41 33 1.4 31 27-33 1.4-1.8 3.1 23 30 1.8 36 29-30 1.8-3.1 4.2 21 27 2.4 29 24-27 2.4-4.2 1.4 42 26 1.2 45 22-26 1.2-1.9 1.2 43 25 1.2 46 19-25 1.2-1.3 2.3 31 20 2.5 29 13-20 2.3-6.8 4.0 20 18 2.7 27 12-18 2.0-6.0 0 18 4.9 17 11-22 2.9	32 7.3 12 34 9.5 9 37 4.0 18 35 4.4 19	12 34 9.5 9 37 4.0 18 35 4.4	34 9.5 9 37 4.0 18 35 4.4	9.5 9 37 4.0 18 35 4.4	9 37 4.0 18 35 4.4	37 4.0 18 35 4.4	4.0 18 35 4.4	18 35 4.4	35 4.4	4.4		19		32	7.0	13	34	4.3	19	32-37	4.3-9.5	
1.4 41 33 1.4 31 27-33 1.4-1.8 3.1 23 30 1.8 36 29-30 1.8-3.1 4.2 21 2.4 29 24-27 2.4-4.2 1.4 42 26 1.2 45 22-26 1.2-1.9 1.2 43 25 1.2 46 19-25 1.2-1.3 2.3 31 20 2.5 29 13-20 2.3-6.8 4.0 20 18 2.7 27 12-18 2.0-6.0 0 18 4.9 17 11-22 2.9	10.5 9 31 11.9 8 35 4.7 17 33 4.6	9 31 11.9 8 35 4.7 17 33 4.6	31 11.9 8 35 4.7 17 33 4.6	11.9 8 35 4.7 17 33 4.6	8 35 4.7 17 33 4.6	35 4.7 17 33 4.6	4.7 17 33 4.6	17 33 4.6	33 4.6	4.6		22		31	10.0	6	34	3.00	22	29-35	3.8-11.9	
3.1 23 30 1.8 36 29-30 1.8-3.1 4.2 21 27 2.4 29 24-27 2.4-4.2 1.4 42 26 1.2 45 22-26 1.2-1.9 1.2 43 25 1.2 46 19-25 1.2-1.3 2.3 31 20 2.5 29 13-20 2.3-6.8 4.0 20 18 2.7 27 21-18 2.0-6.0 0 18 4.9 17 11-22 2.9	32 1.8 36 27 1.6 38 30 1.4 42 31 1.4 42	36 27 1.6 38 30 1.4 42 31 1.4	27 1.6 38 30 1.4 42 31 1.4	1.6 38 30 1.4 42 31 1.4	38 30 1.4 42 31 1.4	30 1.4 42 31 1.4	1.4 42 31 1.4	42 31 1.4	31 1.4	1.4		42		29	1.4	41	33	1.4	31	27-33	1.4-1.8	31-4
4.2 21 27 2.4 29 24-27 2.44.2 1.4 42 26 1.2 45 22-26 1.2-1.9 1.2 43 25 1.2 46 19-25 1.2-1.9 2.3 31 20 2.5 29 13-20 2.3-6.8 4.0 20 18 2.7 27 12-18 2.0-6.0 0 18 4.9 17 11-22 2.9	2.8 26 30 2.1 33 29 2.4 30 30 1.9	26 30 2.1 33 29 2.4 30 30 1.9	30 2.1 33 29 2.4 30 30 1.9	2.1 33 29 2.4 30 30 1.9	33 29 2.4 30 30 1.9	29 2.4 30 30 1.9	2.4 30 30 1.9	30 30 1.9	30 1.9	1.9		35		53	3.1	23	30	.00	36	29-30	1.8-3.1	23-3
1.4 42 26 1.2 45 22-26 1.2-1.9 3 1.2 43 25 1.2 46 19-25 1.2-1.3 4 2.3 31 20 2.5 29 13-20 2.3-6.8 1 4.0 20 18 2.7 27 12-18 2.0-6.0 1 0 18 4.9 17 11-22 2.9	3.8 21 25 3.8 22 25 2.6 28 27 2.5	21 25 3.8 22 25 2.6 28 27 2.5	25 3.8 22 25 2.6 28 27 2.5	3.8 22 25 2.6 28 27 2.5	22 25 2.6 28 27 2.5	25 2.6 28 27 2.5	2.6 28 27 2.5	28 27 2.5	27 2.5	2.5		29		26	4.2	21	27	2.4	53	24-27	2.44.2	21-2
1.2 43 25 1.2 46 19-25 1.2-1.3 4 2.3 31 20 2.5 29 13-20 2.3-6.8 1 4.0 20 18 2.7 27 12-18 2.0-6.0 1 0 18 4.9 17 11-22 2.9	1.4 41 22 1.9 34 24 1.2 40 25 1.3	41 22 1.9 34 24 1.2 40 25 1.3	22 1.9 34 24 1.2 40 25 1.3	1.9 34 24 1.2 40 25 1.3	34 24 1.2 40 25 1.3	24 1.2 40 25 1.3	1.2 40 25 1.3	40 25 1.3	25 1.3	1.3		43		22	1.4	42	26	1.2	45	22-26	1.2-1.9	34 4
2.3 31 20 2.5 29 13-20 2.3-6.8 1 4.0 20 18 2.7 27 12-18 2.0-6.0 1 0 18 4.9 17 11-22 2.9	1.3 44 21 1.2 40 23	44 19 1.3 44 21 1.2 40 23 1.3	19 1.3 44 21 1.2 40 23 1.3	1.3 44 21 1.2 40 23 1.3	44 21 1.2 40 23 1.3	21 1.2 40 23 1.3	1.2 40 23 1.3	40 23 1.3	23 1.3	1.3		43		20	1.2	43	25	1.2	46	19-25	1.2-1.3	40 46
4.0 20 18 2.7 27 12–18 2.0–6.0 1 0 18 4.9 17 11–22 2.9–	18 3.7 21 15 6.8 13 13 2.5 28 19 2.5 29	21 15 6.8 13 13 2.5 28 19 2.5	15 6.8 13 13 2.5 28 19 2.5	6.8 13 13 2.5 28 19 2.5	13 13 2.5 28 19 2.5	13 2.5 28 19 2.5	2.5 28 19 2.5	28 19 2.5	19 2.5	2.5		29		15	2.3	31	20	2.5	29	13-20	2.3-6.8	13-31
0 18 4.9 17 11-22 2.9	3.3 23 12 6.0 14 16 2.0 33 17 2.3	23 12 6.0 14 16 2.0 33 17 2.3	12 6.0 14 16 2.0 33 17 2.3	6.0 14 16 2.0 33 17 2.3	14 16 2.0 33 17 2.3	16 2.0 33 17 2.3	2.0 33 17 2.3	33 17 2.3	17 2.3	2.3		30		13	4.0	20	18	2.7	27	12-18	2.0-6.0	14-33
	19 0 11 0 18 4.9 17 22 2.9 26	0 11 0 18 4.9 17 22 2.9	11 0 18 4.9 17 22 2.9	0 18 4.9 17 22 2.9	0 18 4.9 17 22 2.9	18 4.9 17 22 2.9	4.9 17 22 2.9	17 22 2.9	22 2.9	2.9	6	26		18		0	18	4.9	17	11-22	2.9	0-26

* Unpublished data.

All measurements were made from cells of normal individuals, except those made by Fraccaro and Lindsten, which included cases of Turner's syndrome. Column A is the relative length of each chromosome, B is the arm ratio and C the centromere index, as defined in the text. AND THE PROPERTY OF THE PROPER

		Tjio and Puck ⁶	P.		Chu and Giles ²	P.	I	Levan and Hsu ⁵	pu	Fr	Fraccaro and Lindsten*	and and	, T	Lejeune and Turpin**	and	Ja	Buckton, Jacobs and Harnden*	nd n*r		Range	
	X		C	A	B	C	A	B	C	A	В		A	B	C	A	B	C	A	В	C
-	.90	1.1	48	96	1.1	48	85	1.1	49	82	1.1	48	87	1.	48	83	1.1	48	82-90	1.1	48-49
7	82		39	83	1.5	40	79	1.6	38	77	1.5		84	1.5	40	79	1.6	38	77-84	1.5-1.6	38-40
67	70		45	72	1.2	46	69	1.2	45	65	1.2		19	1.2	46	63	1.2	46	63-72	1.2	45-46
4	64	2.9	26	63	2.9	26	63	2.7	27	62	2.6	1	62	2.6	25	09	2.6	28	60-64	2.6-2.9	25-28
0	28	3.2	24	28	3.2	24	86	2.6	28	99	2.4	29	57	2.4	30	57	2.4	30	27-60	2.4-3.2	24-30
×	59	1.9	34	57	2.8	38	52	1.6	38	54	1.6		58	2.2	32	51	1.7	37	51-59	1.6-2.8	32-38
9	55	1.7	37	98	1.8	36	99	1.7	37	54	1.6		56	1.7	37	99	9.1	38	54-56	1.6-1.8	36-38
7	47	1.3	43	52	1.9	35	51	1.9	35	50	1.7		51	1.8	36	50	1.7	37	47-52	1.3-1.9	35-43
00	4	1.5	29	46	1.7	29	48	1.6	33	47	1.7		48	2.4	29	46	1.5	40	44 48	1.5-2.4	29-40
6	4	1.9	40	46	2.4	38	47	1.8	36	45	2.0	33	47	1.9	35	44	2.1	32	44-47	1.8-2.4	32-40
10	43	2.4	27	45	2.3	30	45	2.0	33	45	2.6		45	2.6	27	44	1.9	35	43-45	1.9-2.6	27-35
11	43	2.8	34	4	2.1	32	44	2.2	31	43	2.2		44	1.6	39	43	1.5	40	43-44	1.5-2.8	31-40
12	42	3.1	24	43	3.1	24	42	1.7	32	43	1.7		45	7.8	27	42	2.1	32	42-43	1.7-3.1	24-37
13	35	8.0	=	32	9.7	10	32	5.0	16	34	4.8		33	8.9	14	36	4.9	17	32-36	4.8-9.7	
14	32	7.3	12	34	9.5	6	37	4.0	00	35	4.4		32	7.0	13	34	4.3	19	32-37	4.3-9.5	
15	29	10.5	6	31	11.9	00	35	4.7	17	33	4.6	22	31	10.0	6	34	3.8	22	29-35	3.8-11.9	8-22
91	32	1.8	36	27	1.6	38	30	1.4	42	31	1.4	1	29	1.4	41	33	1.4	31	27-33	1.4-1.8	31-42
17	29	2.8	26	30	2.1	33	29	2.4	30	30	1.9		29	3.1	23	30	1.8	36	29-30	1.8-3.1	23-36
18	24	3.8	21	25	3.00	22	25	2.6	28	27	2.5	29	26	4.2	21	27	2.4	53	24-27	2.4-4.2	21-29
19	22	1.4	41	22	1.9	34	24	1.2	40	25	1.3	43	22	1.4	42	26	1.2	45	22-26	1.2-1.9	34 45
20	21	1.3	4	19	1.3	44	21	1.2	40	23	1.3		20	1.2	43	25	1.2	46	19-25	1.2-1.3	40-46
21	18	3.7	21	15	8.9	13	13	2.5	28	19		29	15	2.3	31	20	2.5	29	13-20	2.3-6.8	13-31
22	17	3.3	23	12	0.9	14	16	2.0	33	17	2.3		13	4.0	20	18	2.7	27	12-18	2.0-6.0	14-33
>	19	:	0	11	:	0	18	4.9	17	22	2.9	26	18	:	0	18	4.9	17	11-22	2.9	0-26
1					-	-							1							-	-

* Unpublished data.

TABLE III.—SYNONYMY OF CHROMOSOMES AS PUBLISHED BY VARIOUS WORKERS

New chromosome number	Tjio and Puck ⁶	Chu and Giles ²	Levan and Hsu ⁵	Ford, Jacobs and Lajtha ³	Böök, Fraccaro and Lindsten ¹	Lejeune, Turpin and Gautier ⁴
(1	1	1	1	1	1	GI
2	2	2	2	2	2	G2
(3	3	3	3	3	3	G3
14	4	4	4	4	4	G4
1 5	5	5	5	5	5	G5
, 6	6	6	6	6*	6	M1
7	7	7	7	(8)	7	M2
8	8	8	8	(9)	8	Md1
9	9	9	9	(11)	9	M3
10	10	10	10	10	10	Md2
11	11	11	11	(12)	11	M4
12	12	12	12	(13)	12	Md3
(13	18	14	20	14	14	TI
14	19	15	18	15	15	T2
15	20	13	19	16	13	T3
(16	13	17	15	19	16	Cl
17	14	16	13	17	17	P1
18	15	18	. 14	18	18	P2
(19	16	19	16	20	19	C2
20	17	20	17	21	20	C3
(21	21	21	22	22	21	Vh
22	22	22	21	23	22	Vs
(X	X	X	X	? (7)	x	X
Y	Y	Y	Y	Y	Y	Y

^{*} In the published idiogram the chromosomes of group 6–12 (including X) were indicated by discontinuous lines and left unnumbered owing to the uncertainty of discrimination at that time. For the purpose of this table, these chromosomes have been assigned the numbers shown in brackets, in serial order of length.

PARTICIPANTS

Lejeune,

Gautier⁴

G3

MI

M2

Mdl

M3

Md2

M4

Md3

TI

T2

T3

CI

PI

P2

C2 C3

Vh

Vs

X

Y

discontinuous

urpose of this

f length.

S WORKERS

A. Böök niversity of Uppsala, stitute for Medical Genetics, Agatan 24, Uppsala, Sweden.

G1 hology Division,

lak Ridge National Laboratory,
O. Box Y, Oak Ridge, Tennessee, U.S.A.

G5 (E. Ford

dical Research Council, adiobiological Research Unit, arwell, Didcot, Berks., England.

1. Fraccaro

stitute for Medical Genetics, Agatan 24, Uppsala, Sweden.

). G. Harnden

ledical Research Council, froup for Research on the General Effects of Radiation, lept. of Radiotherapy, Western General Hospital, frewe Road, Edinburgh 4, Scotland.

A. Hungerford

astitute for Cancer Research, 701 Burholme Avenue, ox Chase, hiladelphia 11, Pa., U.S.A.

I.C. Hsu

ection of Cytology, University of Texas, lexas Medical Center, Houston 25, Texas, U.S.A. P. A. Jacobs

Medical Research Council, Group for Research on the General Effects of Radiation, Dept. of Radiotherapy, Western General Hospital, Crewe Road, Edinburgh 4, Scotland.

J. Lejeune

Université de Paris, Chaire d'Hygiène et de de Clinique de la Première Enfance, Hôpital Trousseau, 158, Av. du General Michel-Bizot, Paris 12, France.

A. Levan

Institute of Genetics, University of Lund, Lund, Sweden.

S. Makino

Zoological Institute, Hokkaido University, Sapporo, Japan.

Theodore T. Puck and

A. Robinson

Department of Biophysics, University of Colorado Medical Center, 4200 East Ninth Avenue, Denver 20, Colorado, U.S.A.

J. H. Tjio

NIAMD-Building 10-3N-116, National Institutes of Health, Bethesda 14, Maryland, U.S.A.

COUNSELLORS

D. G. Catcheside, Chairman
Department of Microbiology,
The University,
Edgbaston, Birmingham 15, England.

H. J. Muller

Department of Zoology, Indiana University, Moomington, Indiana, U.S.A. **Curt Stern**

Department of Zoology, University of California, Berkeley 4, California, U.S.A.







